FX MINERALS PTE LTD



24 Raffles Place #25-03 Clifford Centre Singapore 048621

TABULAR ALUMINA



| CHEMICAL COMPOSITION | Standard Sizes | | Milled Sizes (<200 mesh) | |
|--------------------------------|----------------|---------|--------------------------|---------|
| | Guaranteed | Typical | Guaranteed | Typical |
| Al ₂ O ₃ | 99.40% | 99.42% | 99.30% | 99.35% |
| Na2O | ≤0.40% | 0.33% | ≤0.40% | 0.32% |
| SiO ₂ | ≤0.09% | 0.04% | ≤0.12% | 0.06% |
| Fe ₂ O ₃ | ≤0.07% | 0.05% | ≤0.09% | 0.06% |

| PHYSICAL PROPERTIES | Standard Sizes | | Milled Sizes (<200 mesh) | |
|------------------------|----------------|-----------|--------------------------|---------|
| | Guaranteed | Typical | Guaranteed | Typical |
| Bulk Density* | ≥3.50 g/cc | 3.55 g/cc | - | - |
| Apparent Porosity | ≤5.00% | 3.90% | ≤5.00% | - |
| Water Absorption | ≤1.50% | 1.10% | ≤1.50% | - |

^{*}As 3x6 mesh

| SIZES | General sizes include ½"x ¼", ¼"x 8, 8x14, 14x28, 28x48, 3x6, 6x8, 6x14, -1/4", -6, -14, -48, -100, -200, -325 mesh, etc. | |
|-----------|---|--|
| PACKAGING | Available in 25 kg plastic woven bags, supersacks, or other sizes as required | |

Information on this data sheet for general use only and specific situations may apply to all products.

This sheet is property of FX Minerals Pte Ltd. and shall not be used, copied or released without permission from FX Minerals Pte Ltd.